


2SD1833

TO-220F


NPN

, , , 2SB1290


/ Electrical Characteristic Curve



/ Package Dimensions



/ Marking Instructions




BR

D1833

D:

h_{FE}

() / Temperature Profile for Dip Soldering(Pb-Free)



± ± ± ±

/ Resistance to Soldering Heat Test Conditions

± ±

/ Packaging SPEC.

| | | | | | | Bag | Inner Box | Outer Box |
|----------|----------------|---------------------|----------------------|----------------------------|----------------------|---------|-------------|-------------|
| | Units/Bag / | Bags/Inner Box / | Units/Inner Box / | Inner Boxes/Outer Box / | Units/Outer Box / | | | |
| TO-220/F | 200 | 10 | 2,000 | 5 | 10,000 | 135×190 | 237×172×102 | 560×245×195 |

| | | | | | | Tube | Inner Box | Outer Box |
|----------|-----------------|----------------------|----------------------|----------------------------|----------------------|--------------|------------|-------------|
| | Units/Tube / | Tubes/Inner Box / | Units/Inner Box / | Inner Boxes/Outer Box / | Units/Outer Box / | | | |
| TO-220/F | 50 | 20 | 1,000 | 5 | 5,000 | 532×31.4×5.5 | 555×164×50 | 575×290×180 |

/ Notices