

--	--	--	--





SOT-323


E20

Rev.A Aug.-

fi fi ~ fi fi t -ž&/%"&, -fi i =, %, &/ž%"#/"&fi i +%!žfi



fi fi ~ fi fi 0 , % 1 " . 2 fi ? . # / % + & / " ' . # fi



H
L4P
Note:
H: Company Code
L4P: Product Type



: <fi fi fi fi

- | | | | | | |
|---|-------|-----|----|-----------|--|
| | | | | | |
| 1 | 150 | 180 | 60 | 90sec; | Note:
1.Preheating:150~180 , Time:60~90sec. |
| 2 | 245±5 | | | 5±0.5sec; | 2.Peak Temp.:245±5 , Duration:5±0.5sec. |
| 3 | | | 2 | 10 /sec. | 3. Cooling Speed: 2~10 /sec. |

fi fi fi fi fi Žž#"#, . &žfi/'fi/'-\$ž%" . 2fiŁž, /fi'ž#/fi i' . \$"/' . #fi

260±5 10±1 sec. Temp.:260±5 Time:10±1 sec

fi fi fi fi fi 5, &1, 2" . 2fi/5 t i fi

/ REEL

Package Type	Units " ~ " ~ "	Dimension " ~ " i ?
--------------	-----------------	---------------------