


Rev.E Mar.-2016

TO-92 PNP Silicon PNP transistor in a TO-92 Plastic Package.

KSD471A
 Complementary pair with KSD471A.


Audio frequency power amplifier.



PIN1 Collector PIN 2 Base PIN 3 Emitter


h_{FE} Classifications Symbol	O	Y	G
h_{FE} Range	70~140	120~240	200~400


Parameter	Symbol	Rating	Unit
Collector to Base Voltage			



T0-92

Unit: mm





BR:

B564A

O: h_{FE}


Note:

BR: Company Code.

B564A: Product Type.

O: h_{FE} Classifications Symbol

****: Lot No. Code,code change with Lot No.


Note:

- | | | | | | |
|---|-------|-----|-----------|--------|---|
| 1 | 25 | 150 | 60 | 90sec; | 1.Preheating:25~150 , Time:60~90sec. |
| 2 | 255±5 | | 5±0.5sec; | | 2.Peak Temp.:255±5 , Duration:5±0.5sec. |
| 3 | | 2 | 10 | /sec. | 3. Cooling Speed: 2~10 /sec. |

270±5

10±1 sec.

Temp:270±5

Time:10±1 sec

/ BULK

Package Type	Units				Dimension		(unit mm3)

/ AMMO

Package Type	Units	Dimension	(unit mm3)